AUTHOR INDEX, VOLUME 4

Aloisio, C. J., Matsuoka, S., and Maxwell, B.: Measurements of relaxation time of a polyethylene melt, 113

Andrews, E. H.: Microfibrillar textures in polymer fibers, 668

Arakawa, T., and Wunderlich, B: Thermodynamics of crystalline linear high polymers. V. Extended-chain copolymers of polyethylene, 53

Baer, E.: see Koutsky, J. A.

Balta, Y. I.: see Krigbaum, W. R.

Baltog, I.: see Giurgea, M.

Barker, R. E., Jr.: see Kambour, R. P.

Barlow, M.: X-ray diffraction studies of diisotactic polymers of *cis*- and *trans*-2-butene oxides, 121

Beck, H. N.: Effect of molecular weight upon the heterogenerous nucleation of crystallization in polypropylene, 631

Benoit, H.: see Wallach, M. L.

Berry, G. C.: see Casassa, E. F.

Billmeyer, F. W., Jr.: see Blumstein, A.

Blais, P., and Manley, R. St. J.: Crystallization of isotactic polystyrene from solution, 1024

Blumstein, A., and Billmeyer, F. W., Jr.: Polymerization of adsorbed monolayers. III. Preliminary structure studies in dilute solution of the insertion polymers, 465

Bobear, W. J.: Elastic properties and network structure in silicone gum vulcanizates, 299

Bodily, D., and Wunderlich, B.: Thermodynamics of crystalline linear high polymers. IV. The effect of ethyl, acetate, and hydroxyl side groups on the properties of polyethylene, 25

Bowles, B. B.: see Dumbleton, J. H.

Carpenter, D. K.: Light-scattering study of the molecular weight distribution of polypropylene, 923

Carroll, W. R., and Eisenberg, H.: Narrow molecular weight distribution poly(styrenesulfonic acid). Part I. Preparation, solution properties, and phase separation, 599

Casassa, E. F., and Berry, G. C.: Angular distribution of intensity of Rayleigh scattering from comblike branched molecules, 881

Chan, L.-L.: see Stockmayer, W. H.

Coll, H.: Membrane characterization by measurement of transient osmotic pressures, 659

Combs, R. L.: see Slonaker, D. F.

Cool, L. G.: see Eisenberg, A.

Coover, H. W., Jr.: see Slonaker, D. F.

Cormier, C. M., and Wunderlich, B.: Equilibrium dissolution temperatures of polyethylene and the surface free energy of folded-chain single crystals, 666

Daane, J. H.: see Kambour, R. P.

Davis, H. A.: Interlamella ties, 1011

Dawkins, J. V.: see Krigbaum, W. R.

Doyne, T. H.: see Fredericks, R. J.

Dumbleton, J. H., and Bowles, B. B.: X-ray determination of crystallinity and orientation in poly(ethylene terephthalate), 951

Eisenberg, A., Farb, H., and Cool, L. G.: Glass transitions in ionic polymers, 855

Eisenberg, H.: see Carroll, W. R.

Ende, H. A.: see Threlkeld, J. O.

Eykamp, R. W., Schneider, A. M., and Merrill, E. W.: The density of amorphous poly(vinylidene chloride) latex, 1027

Farb, H.: see Eisenberg, A.

Fatou, J. G.: see Mandelkern, L.

Fredericks, R. J., Doyne, T. H., and Sprague, R. S.: Crystallographic studies of nylon 4. I. Determination of the crystal structure of the α polymorph of nylon 4, 899

Fujiwara, H.: see Nakajima, A.

Geil, P. H.: see Haas, K.

Gent, A. N.: Crystallization in stretched polymer networks. II. *trans*-Polyisoprene, 447

Ghita, C.: see Giurgea, M.

Giurgea, M., Ghita, C., Baltog, I., and Lupu, A.: Light scattering and viscosity measurements in polyethylacrylate and ethylacrylate–methyl methacrylate copolymer solutions, 529

Gopalan, M.: see Mandelkern, L.

Goto, T.: see Kawai, T.

Guillet, J. E.: see Slonaker, D. F.
Haas, K., and Geil, P. H.: Polymer deformation of polyethylene single crystals, 289
Hamada, F.: see Nakajima, A.
Heller, W.: Application of *dn/dc* data for the determination of partial specific volumes of dissolved macromolecules, 209
Hillier, H.: Single-crystal model for the bulk crystallization kinetics of poly(ethylene oxide) and polystyrene, 1
Hirai, N.: see Yamashita, Y.
Hock, C. W.: Morphology of polypropylene crystallized from the melt, 227
Iida, N.: see Kuwahara, N.
Ikeda, M.: see Mitsuishi, Y.
Iwakura, Y., Uno, K., and Kobayashi, N.: Effect of post-treatment on the crystallinity of polyisocyanates, 1015
Jenkins, R. K.: Some viscoelastic properties of siloxane polymer during irradiation, 41
Jordan, E. F., Jr., Riser, G. R., Parker, W. E., and Wrigley, A. N.: Mechanical properties and transition temperatures for copolymers of *N*-*n*-alkylacrylamides and acrylonitrile, 977
Kamashima, K.: see Sugai, S.
Kambour, R. P.: Mechanism of fracture in glassy polymers. II. Survey of crazing response during crack propagation in several polymers, 17
——: Mechanism of fracture in glassy polymers. III. Direct observation of the craze ahead of the propagating crack in poly(methyl methacrylate) and polystyrene, 349
—— and Barker, R. E., Jr.: Mechanism of fracture in glassy polymers. IV. Temperature rise at the tip of propagating crack in poly(methyl methacrylate), 359
——, Karasz, F. E., and Daane, J. H.: Kinetic and equilibrium phenomena in the system: Acetone vapor and polycarbonate film, 327
Kaneko, M.: see Kuwahara, N.
Karasz, F. E.: see Kambour, R. P.
Kawai, T., and Gotō, T.: A comment on the previous comment on the lengths of the chain folds involved in polymer single crystals, 521
Keith, H. D., Padden, F. J., Jr., and Vadimsky, R. G.: Intercrystalline links in polyethylene crystallized from the melt, 267
Kim, C. W.: see Smith, W. B.
Kline, D. E.: see Licht, W. R.
Kobayashi, N.: see Iwakura, Y.
Koenig, J. L., and Mannion, J. J.: Infrared study of poly(vinyl fluoride), 401
Konuma, M.: see Kuwahara, N.
Koutsky, J. A., Walton, A. G., and Baer, E.: Epitaxial crystallization of homopolymers on single crystals of alkali halides, 611
Krigbaum, W. R., Dawkins, J. V., Via, G. H., and Balta, Y. I.: Effect of strain on the thermodynamic melting temperature of polymers, 475
Kuwahara, N., Ogino, K., Konuma, M., Iida, N., and Kaneko, M.: Unperturbed dimensions of polystyrene derivatives. II. Poly-3,4-dichlorostyrene and poly-*p*-cyclohexylstyrene, 173
Kwei, T. K.: Viscoelasticity of crosslinked epoxy polymer in the transition region, 943
Licht, W. R., and Kline, D. E.: Specific volume studies of γ-irradiated polytetrafluoroethylene from 40 to 150°C., 313
Luongo, J. P., and Salovey, R.: Infrared characterization of polymorphism in polybutene-1, 999
Lupu, A.: see Giurgea, M.
McMahon, P. E.: Wideline NMR studies of oriented nylon 66, 639
——: Wideline NMR studies of oriented nylon 66 under tensile stress, 501
Magill, J. H.: Formation of spherulites in polyamide melts. Part III. Even-even polyamides, 243
Makino, S.: see Sugai, S.
Malkin, A. Va.: see Vinogradov, G. V.
Mandel, M.: The mean dipole moment of monosubstituted vinylic polymers, 519
Mandelkern, L., Price, J. M., Gopalan, M., and Fatou, J. G.: Sizes and interfacial free energies of crystallites formed from fractionated linear polyethylene, 385
——, ——, ——, and ——: Sizes and interfacial free energies of crystallites formed from fractionated linear polyethylene (*erratum*), 1031
Manley, R. St. J.: see Blais, P.
Mannion, J. J.: see Koenig, J. L.
Matsuoka, S.: see Aloisio, C. J.

Mattes, R., and Rochow, E. G.: Internal motion in some aromatic polyesters and linear aromatic chains, 375
Matuura, R.: see Nakahara, T.
Maxwell, B.: see Aloisio, C. J.
May, J. A.: see Smith, W. B.
Merrill, E. W.: see Eykamp, R. W.
Messick, J.: see Ramey, K. C.
Milgrom, J.: see Nuenke, N.
Miller, A. A.: Free volumes in simple and polymeric liquids, 415
Mitsuishi, Y., and Ikeda, M: Studies on crystallization of poly(ethylene terephthalate) by differential thermal analysis. Special consideration of the two exothermic peaks in the thermogram of crystallization, 283
Motomura, K.: see Nakahara, T.
Nagai, E.: see Ōta, T.
Nakahara, T., Motomura, K., and Matuura, R.: Crystallization in poly(*n*-octadecyl methacrylate) monolayers, 649
Nakajima, A., Fujiwara, H., and Hamada, F.: Phase relationships and thermodynamic interactions in linear polyethylene–diluent systems, 507
Nakajima, N.: Fractionation of polyethylene by gel permeation chromatography, 101
Nishida, N.: Relaxation phenomena in concentrated polyelectrolyte solution. II, 845
Noguchi, J.: see Sugai, S.
Nuenke, N., and Milgrom, J.: A device for determining gel in polymers, 159
Ogino, K.: see Kuwahara, N.
Olf, H. G.: see Peterlin, A.
Ōta, T., Yamashita, N., Yoshizaki, O., and Nagai, E.: Crystal structure of poly(*m*-xylylene adipamide), 961
Padden, F. J., Jr.: see Keith, H. D.
Parker, W. E.: see Jordan, E. F., Jr.
Patel, C. K., and Patel, R. D.: Second virial coefficient of amylose acetate, 835
Patel, R. D.: see Patel, C. K.
Penn, R. W.: Dynamic mechanical properties of crystalline, linear polyethylene, 545
——: Frequency and temperature dependence of the dynamic mechanical properties of poly-4-methylpentene-1, 559
Peterlin, A., and Olf, H. G.: NMR observations of drawn polymers. V. Sorption into drawn and undrawn polyethylene, 587
Petree, M. C.: see Warfield, R. W.
Prevorsek, D. C.: Tensile strength of oriented polymers below the glass transition temperature, 63
Price, J. M.: see Mandelkern, L.
Ramey, K. C., and Messick, J.: Effect of solvent upon high resolution NMR spectra of polymers, 155
Riser, G. R.: see Jordan, E. F., Jr.
Rochow, E. G.: see Mattes, R.
Ryan, F. W.: see Schonhorn, H.
Salovey, R.: see Luongo, J. P.
Schneider, A. M.: see Eykamp, R. W.
Schonhorn, H., Ryan, F. W., and Sharpe, L. H.: Surface tension of a molten polychlorotrifluoroethylene, 538
Sharpe, L. H.: see Schonhorn, H.
Shimura, Y.: Effects of composition on the solution properties of styrene–acrylonitrile copolymers, 423
Slonaker, D. F., Combs, R. L., Guillet, J. E., and Coover, H. W., Jr.: Macrofractionation of polymers, 523
Smith, R. P.: Configurational entropy of polyethylene and other linear polymers, 869
Smith, W. B., May, J. A., and Kim, C. W.: Polymer studies by gel permeation chromatography, 365
Sprague, R. S.: see Fredericks, R. J.
Staverman, A. J.: see van Wijk, R.
Stein, R. S.: see Stidham, S. N.
Stidham, S. N., and Stein, R. S.: Effect of birefringence on light scattering from oriented systems, 89
Stockmayer, W. H., and Chan, L.-L.: Solution properties of polyoxymethylene, 437
Strella, S.: Rubber reinforcement of glassy polymers, 527
Sugai, S., Kamashima, K., Makino, S., and Noguchi, J.: Poly(γ-alkyl glutamates). I. 183
Talamini, G.: The heterogeneous bulk polymerization of vinyl chloride, 535
Thompson, E. V.: Dependence of the glass transition temperature of poly(methyl methacrylate) on tacticity and molecular weight, 199
Threlkeld, J. O., and Ende, H. A.: Molecular weight averages of polymers as determined by density gradient centrif-

ugation. II. Application nylon to 66, 663
Uno, K.: see Iwakura, Y.
Vadimsky, R. G.: see Keith, H. D.
Via, G. H.: see Krigbaum, W. R.
Vinogradov, G. V., and Malkin, A. Ya.: Rheological properties of polymer melts, 135
Wallach, M. L., and Benoit, H.: Light scattering of polar chain molecules subjected to an electrical field, 491
Walton, A. G.: see Koutsky, J. A.
Warfield, R. W., and Petree, M. C.: Thermodynamic properties of polyvinylidene chloride, 532
Warwicker, J. O.: Effect of chemical reagents on the fine structure of cellulose. Part III. Action of caustic soda on cotton and ramie, 571
van Wijk, R., and Staverman, A. J.: Use of a negative constant on the abscissa of the Zimm plot of light-scattering data, 1013
Wrigley, A. N.: see Jordan, E. F., Jr.
Wunderlich, B.: see Arakawa, T.
——: see Bodily, D.
——: see Cormier, C. M.
Yamashita, N.: see Ōta, T.
Yamashita, Y., and Hirai, N.: Single crystals of amylose V complexes. II. Crystals with 7_1 helical configuration, 161
Yoshizaki, O.: see Ōta, T.

SUBJECT INDEX, VOLUME 4

Acetone vapor and polycarbonate film, 327
Adsorbed monolayers, polymerization of, structure studies in dilute solution of insertion polymers, 465
N-*n*-Alkylacrylamides and acrylonitrile, copolymers of, mechanical properties and transition temperatures for, 977
Amylose acetate, second virial coefficient of, 835
Amylose V complexes: crystals with 7_1 helical configuration, 161
Application of *dn*/*dc* data for determination of partial specific volumes of dissolved macromolecules, 209
Aromatic polyesters and linear aromatic chains, 375
Birefringence, effect of, on light scattering from oriented systems, 89
Branched molecules, comblike, angular distribution of intensity of Rayleigh scattering from, 881
Bulk crystallization kinetics of poly(ethylene oxide) and polystyrene, 1
Bulk polymerization, heterogeneous, of vinyl chloride, 535
cis- and *trans*-2-Butene oxides, 121
Caustic soda, action on cotton and ramie, 571
Cellulose, fine structure of, action of caustic soda on cotton and ramie, 571
Configurational entropy of polyethylene and other linear polymers, 869
Craze ahead of propagating crack in poly(methyl methacrylate) and polystyrene, 349
Crazing response during crack propagation in polymers, 17
Crosslinked epoxy polymer in the transition region, viscoelasticity of, 943
Crystallinity, and orientation in poly(ethylene terephthalate), x-ray determination of, 951
of polyisocyanates, effect of post-treatment on, 1015
Crystallites, sizes and interfacial free energies of, formed from fractionated linear polyethylene (*erratum*), 1031
Crystallization, epitaxial, of homopolymers on single crystals of alkali halides, 611
of isotactic polystyrene from solution, 1024
of poly(ethylene terephthalate), 283
in poly(*n*-octadecyl methacrylate) monolayers, 649
in stretched polymer networks, *trans*-polyisoprene, 447
Crystals, single, of amylose V complexes, crystals with 7_1 helical configuration, 161
Crystal structure of poly(*m*-xylylene adipamide), 961
Deformation, biaxial, of polyethylene single crystals, 289
Density of amorphous poly(vinylidene chloride) latex, 1027
Diisotactic polymers of *cis*- and *trans*-2-butene oxides, x-ray diffraction studies, 121
Elastic properties and network structure in silicone gum vulcanizates, 299
Entropy, configurational, of polyethylene and other linear polymers, 869
Epoxy polymer, crosslinked, in the transition region, viscoelasticity of, 943
Fibers, polymer, microfibrillar textures, 668
Fine structure of cellulose, action of caustic soda on cotton and ramie, 571
Fractionation of polyethylene by gel permeation chromatography, 101
Fracture in glassy polymers, craze ahead of propagating crack in poly(methyl methacrylate) and polystyrene, 349
Free energies, interfacial, sizes and, of crystallites formed from fractionated linear polyethylene (*erratum*), 1031
Free volumes in simple and polymeric liquids, 415
Gel permeation chromatography, 365
fractionation of polyethylene, 101
Glass transitions in ionic polymers, 855
Glass transition temperature of poly(methyl methacrylate), dependence on tacticity and molecular weight, 199

Glassy polymers, fracture in, poly(methyl methacrylate) and polystyrene, 349
rubber reinforcement, 527
Heterogeneous nucleation of crystallization in polypropylene, 631
Homopolymers, epitaxial crystallization on single crystals of alkali halides, 611
Infrared characterization of polymorphism in polybutene-1, 999
Infrared study of poly(vinyl fluoride), 401
Insertion polymers, studies in dilute solution, 465
Intercrystalline links in polyethylene crystallized from the melt, 267
Interlamella ties, 1011
Internal motion in aromatic polyesters and linear chains, 375
Ionic polymers, glass transitions in, 855
γ-Irradiated polytetrafluoroethylene, 313
Isotactic polystyrene, crystallization from solution, 1024
Kinetic and equilibrium phenomena in the system, acetone vapor and polycarbonate film, 327
Latex, amorphous poly(vinylidene chloride), density of, 1027
Light scattering, from oriented systems, 89
of polar chain molecules subjected to an electrical field, 491
use of a negative constant on the abscissa of the Zimm plot of, 1013
and viscosity measurements in polyethylacrylate and ethylacrylate–methyl methacrylate copolymer solutions, 529
Light-scattering study of the molecular weight distribution of polypropylene, 923
Linear polyethylene–diluent systems, 507
Liquids, simple and polymeric, 415
Macrofractionation of polymers, 523
Macromolecules, dissolved, application of *dn/dc* data for determination of partial specific volumes, 209
Mean dipole moment of monosubstituted vinyl polymers, 519
Measurements of relaxation time of polyethylene melt, 101
Mechanism of fracture in glassy polymers, survey of crazing response during crack propagation in, 17
Melts, polymer, rheological properties of, 135
Membrane characterization by measurement of transient osmotic pressures, 659
Microfibrillar textures in polymer fibers, 668
Molecular averages of polymers, application to nylon 66, 663
Monosubstituted vinylic polymers, 519
Morphology of polypropylene crystallized from the melt, 227
Negative constant, use of, on the abscissa of the Zimm plot of light-scattering data, 1013
NMR observation of drawn polymers, sorption into drawn and undrawn polyethylene, 587
NMR spectra of polymers, effect of solvent on, 155
NMR studies of oriented nylon 66 under tensile stress, 501
Nylon 4, crystallographic studies of, determination of crystal structure of the α polymorph of, 899
crystallographic studies of, β and δ polymorphs of, 913
Nylon 66, molecular weight average as determined by density gradient centrifugation, 663
oriented, NMR studies of, 639
oriented, under tensile stress, NMR studies of, 501
Oriented polymers, tensile strength below glass transition temperature, 63
Polar chain molecules, light scattering of, 491
Poly(γ-alkyl glutamates), 183
Polyamide melts, even-even polyamides, 243
Polybutene-1, infrared characterization of polymorphism in, 999
Polycarbonate film and acetone vapor, 327
Polychlorotrifluoroethylene, molten, surface tension of, 538
Poly-3,4-dichlorostyrene and poly-*p*-cyclohexylstyrene, 173
Polyelectrolyte solution, concentrated, relaxation phenomena in, 845
Polyethyacrylate and ethylacrylate–methyl methacrylate copolymer solutions, 529
Polyethylene, crystalline, linear, 545
crystallized from the melt, intercrystalline links in, 267
equilibrium dissolution temperatures, 666

extended-chain copolymers of, 53
fractionated linear, 385
sizes and interfacial free energies of crystallites formed from (*errätum*), 1031
fractionation by gel permeation chromatography, 101
and other linear polymers, configurational entropy of, 869
sorption into drawn and undrawn, 587
Polyethylene melt, measurements of relaxation time, 113
Poly(ethylene oxide) and polystyrene, single-crystal model for bulk crystallization kinetics of, 1
Polyethylene single crystals, biaxial deformation, 289
Poly(ethylene terephthalate), crystallization of, 283
x-ray determination of crystallinity and orientation in, 951
Polyisocyanates, effect of post-treatment on the crystallinity of, 1015
trans-Polyisoprene, 447
Poly(methyl methacrylate), glass transition of, 199
and polystyrene, craze ahead of propagating crack, 349
Poly-4-methylpentene-1, 559
Polymorphism in polybutene-1, infrared characterization of, 999
Poly(*n*-octadecyl methacrylate) monolayers, crystallization of, 649
Polyoxymethylene, solution properties of, 437
Polypropylene, crystallized from the melt, morphology of, 227
heterogeneous nucleation of crystallization, 631
light-scattering study of the molecular weight distribution of, 923
Polystyrene, isotactic, crystallization from solution, 1024
Polystyrene derivatives, poly-3,4-dichlorostyrene and poly-*p*-cyclohexylstyrene, 173
Poly(styrenesulfonic acid), preparation, solution properties, and phase separation, 599
Polytetrafluoroethylene, γ-irradiated, 313
Poly(vinylidene chloride), thermodynamic properties, 532
Poly(vinylidene chloride) latex, amorphous, density of, 1027
Poly(*m*-xylylene adipamide), crystal structure of, 961
Post-treatment, effect of, on the crystallinity of polyisocyanates, 1015
Rayleigh scattering from comblike branched molecules, angular distribution of intensity of, 881
Relaxation phenomena in concentrated polyelectrolyte solution, 845
Relaxation time, measurements of, of polyethylene melt, 113
Rheological properties of polymer melts, 135
Rubber reinforcement of glassy polymers, 527
Side-group effect of polyethylene properties, 25
Silicone gum vulcanizates, 299
Siloxane polymers, viscoelastic properties during irradiation, 41
Single-crystal model for bulk crystallization kinetics of poly(ethylene oxide) and polystyrene, 1
Solution properties, of polyoxymethylene, 437
of styrene–acrylonitrile copolymers, 423
Solvent, effect of, on high resolution NMR spectra of polymers, 155
Spherulite formation in polyamide melts, even-even polyamides, 243
Strain, effect of, on thermodynamic melting temperature of polymers, 475
Stretched polymer networks, *trans*-polyisoprene, 447
Styrene–acrylonitrile copolymers, solution properties, 423
Surface tension of molten polychlorotrifluoroethylene, 538
Tensile strength of oriented polymers below the glass transition temperature, 63
Thermodynamic melting temperature of polymers, 475
Thermodynamic properties of poly(vinylidene chloride), 532
Thermodynamics of crystalline linear high polymers, effect of ethyl, acetate, and hydroxyl side groups on properties of polyethylene, 25
extended-chain copolymers of polyethylene, 53
Transient osmotic pressures in membrane characterization, 659

Vinyl chloride, heterogeneous bulk polymerization of, 535
Virial coefficient, second, of amylose acetate, 835
Viscoelasticity of crosslinked epoxy polymer in the transition region, 943
Viscoelastic properties of siloxane polymers during irradiation, 41
Volume studies of γ-irradiated polytetrafluoroethylene, 313
Vulcanizates, silicone gum, 299
Wideline NMR studies of oriented nylon 66, 639
X-ray determination of crystallinity and orientation in poly(ethylene terephthalate), 951
X-ray diffraction studies of diisotactic polymers of *cis*- and *trans*-2-butene oxides, 121
Zimm plot of light-scattering data, use of a negative constant on the abscissa of, 1013